

# Type T Squeeze Packer



The **Type T Squeeze Packer** is a versatile, easy to use tension set tool which holds differential pressure from above or below. This packer is designed to run, set, reset and retrieve easily, even under adverse conditions. This packer can be set at any depth and is used when insufficient weight is available to set a compression packer. This packer is ideal for squeeze cementing, casing testing, stimulation treatments and straddle operations using a retrievable bridge plug.

An SC Tension Unloader is generally run above this packer allowing pressure equalization before release. The SC Tension Unloader also provides a by-pass when running and retrieving to minimize swabbing of the elements.

This packer features a full bore that minimizes the potential for screening out during fracturing, does not restrict the flow rates and allows the use of through-tubing tools without pulling the packer.

This packer also features an emergency release system that uses a high-ratio left-hand thread. Applying right-hand rotation of the tubing relaxes the packing elements and moves the lower cone well away from the slips allowing the slips to fully retract.

## Features and Benefits

- Holds pressure from above or below
- Safety release allows circulation around the slips
- Full opening
- Optional setting configuration
- Bi-directional slips



Specifications					
Casing			Tool		Thread Connection Box Up / Pin Down
Size	Weight	Recommended Hole Size	Gage O.D.	Nom. I.D.	
in mm	lb/ft kg/m	in mm	in mm	in mm	in mm
4-1/2 114.3	9.5 - 13.5 14.1 - 20.1	3.920 - 4.090 99.6 - 103.9	3.750 95.25	2.00 50.80	2-3/8 EUE 60.3 EUE
5-1/2 139.7	20.0 - 23.0 29.8 - 34.2	4.670 - 4.778 118.6 - 121.4	4.500 114.30		2-7/8 EUE 73.0 EUE